



Fig. 503.3
Passenger Loading Zones Access Aisle





Fig. 12
Sides Curb Ramps



Fig. 8(g)
Gratings



Fig. 8(h)
Grating Orientation



Fig.11
Measurement of Curb Ramps Slopes



Slope	Maximum Rise in	Maximum Rise mm	Maxium Horizontal Projection ft	Maxium Horizontal Projection m
1:12 to < 1:16	30	760	30	9
1:15 to < 1:20	30	760	40	12

Fig. 16
Components of a Single Ramp
Run and Sample Ramp Dimensions



FIG. 17
EXAMPLES OF EDGE PROTECTION AND HANDRAIL EXTENSIONS

O 281 410 1349
www.wsquaredarch.com
W [SQUARED] ARCHITECTS

ISSUES AND REVISIONS

NO	DATE	DESCRIPTION
A	19 JUL 22	ISSUE FOR PERMIT
B	19 AUG 16	ISSUE FOR BID

REGISTERED ARCHITECT
JOANNE C. WILSON
STATE OF TEXAS
2019 AUG 16

GH SCHOOL
4780 N MAIN STREET

SHEET TITLE

ACCESSIBITITY STANDARDS - ADA

SHEET NUMBER

G202

PROJECT # A041

©2019 W SQUARED DESIGN, INC.
Architect shall own the overall conceptual design prepared and developed for the project on the intangible exclusive rights or copyright therein.

W:\CloudStation\19.05-GHSI_DWG\1902-GHS-Model_ArchR16.rvt
8/19/2019 3:22:24 PM